

**DECLARATION DE PERFORMANCE****Nº 002**

1.- CODE D'IDENTIFICATION UNIQUE DU PRODUIT

CARREAUX CÉRAMIQUES PRESSÉS À SEC, AVEC ABSORTION D'EAU $3% < E \leq 6%$, TYPE 2

2.- UTILISATION

SOLS INTERIEURS

3.- NOM ET ADRESSE DU FABRICANT

AZULEJOS BENADRESA S.A.
Ctra. Pobl. de Tornesa – Vall d'Alba, km.4
12192 Vilafamés (Castellón) SPAIN

4.- SYSTÈME D'ÉVALUATION ET VÉRIFICATION DE LA CONSTANCE DE LA PERFORMANCE

4

5.- NOM ET NUMERO DU LABORATOIRE NOTIFIÉ

SANS OBJET

6.- PERFORMANCES DECLARÉS

CARACTERISTIQUES	PERFORMANCE	SPECIFICATION TECHNIQUE HARMONISEE
REACTION AU FEU	A1 _{FL}	EN 14411: 2012
DEGAGEMENT DE SUBSTANCES DANGEREUSES: - CADMIUM - PLOMB - AUTRES	PND	
FORCE DE RUPTURE	>1000	
GLISSEMENT: METODO DEL PENDULO SEGÚN ET CEN/TS 16165	PND	
CHOC THERMIQUE	PND	
DURABILITE - USAGE INTERIEURS - USAGE EXTERIEURS	CONFORME PND	
TACTILITE	PND	

Les performances du produit indentifié au point 1 sont conformes avec les performances déclarées au point 6.

La presente déclaration de performance est établie sous la seul responsabilité du fabricant visé au paragraphe 3.

Felipe Peraire Palos. Gerente

Vilafamés, 27 de junio de 2013

AZULEJOS BENADRESA, S.A.
P.P.





AZULEJOS BENADRESA, S.A.

ANNEXE A LA DECLARATION DE PERFORMANCE n° 002

REFERENCE PRODUIT

MOVILA / JULYO 17,5X50 CM

PLINTHE MOVILA / JULYO 8X50 CM

DECAPÉ / NAUTICA 17,5X50 CM

DECAPÉ LISTONES / NAUTICA DECOR 17,5X50 CM

NEOX CENIZA 44,7X44,7 CM

STEEL CREAM 44,7X44,7 CM


PLINTHE NEOX CENIZA 8X44,7 CM


PLINTHE STEEL CREAM 8X44,7 CM

Felipe Peraire Palos. Gerente

Vilafamés, 20 de Noviembre de 2013

AZULEJOS BENADRESA, S.A.
P.P.





STATEMENT OF PERFORMANCE

Nº 007

1.- PRODUCT'S SOLE IDENTIFICATION CODE

DRY PRESSED CERAMIC TILES WITH THICKNESS <7,5mm, WATER ABSORPTION E≤0,5%, TYPE 7

2.- INTENDED USE

INDOOR AND OUTDOOR WALLS AND FLOORS

3.- MANUFACTURER'S NAME AND ADDRESS

AZULEJOS BENADRESA, S.A.

Ctra. Pobla Tornesa – Vall d'Alba, km.4

12192 Vilafamés (Castellón) SPAIN

4.- SYSTEM OF ASSESMENT AND VERIFICATION OF PERFORMANCE CONSISTANCY

4

5.- NAME AND NUMBER OF NOTIFIED LABORATORY

NOT APPLICABLE

6.- DECLARED PERFORMANCE

ESSENTIAL CHARACTERISTICS	PERFORMANCES	HARMONIZED TECHNICAL SPECIFICATION
FIRE REACTION	A1-A1 _{FL}	EN 14411:2012
DANGEROUS SUBSTANCES EMISSIONS: - CADMIUM - LEAD - OTHERS	PND	
ADHERENCE (N/mm ²)	>1Nw/mm ² with adhesive type 2	
TERMAL SHOCK RESISTANCE	RESISTANT	
DURABILITY: - INDOOR USE - OUTDOOR USE	APPLICABLE APPLICABLE	
TACTILE PROPERTIES	PND	
BREAKING STRENGTH (EN ISO 10545-4)	MINIMUM 700N	

Product performances identified in point 1 are in accordance with performances declared in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer in point 3.

Vilafamés, 6th of September 2017

Felipe Peraire Palos. CEO

AZULEJOS BENADRESA, S.A.

DP



AZULEJOS BENADRESA, S.A.
 Ctra. La Pobla - Vall d'Alba, km. 4
 CP 12192 Villafames (Castellón) Spain
 Telf. 964 24 26 00 - Fax 964 25 15 71
 azulejosbenadresa@azulejosbenadresa.com
 www.azulejosbenadresa.com

STATEMENT OF PERFORMANCE

Nº 008

1.- PRODUCT'S SOLE IDENTIFICATION CODE

DRY PRESSED CERAMIC TILES WITH THICKNESS <7,5mm, WATER ABSORPTION E≤0,5%, TYPE 8

2.- INTENDED USE

INDOOR AND OUTDOOR WALLS AND FLOORS

3.- MANUFACTURER'S NAME AND ADRESS

AZULEJOS BENADRESA, S.A.

Ctra. Pobla Tornesa – Vall d'Alba, km.4

12192 Vilafamés (Castellón) SPAIN

4.- SYSTEM OF ASSESMENT AND VERIFICATION OF PERFORMANCE CONSISTANCY

4

5.- NAME AND NUMBER OF NOTIFIED LABORATORY

NOT APPLICABLE

6.- DECLARED PERFORMANCES

ESSENTIAL CHARACTERISTICS	PERFORMANCES	HARMONIZED TECHNICAL SPECIFICATION
FIRE REACTION	A1-A1 _{FL}	EN 14411:2012
DANGEROUS SUBSTANCES EMISSIONS: - CADMIUM - LEAD - OTHERS	PND	
SLIP RESISTANCE: PENDULUM TEST ET CENT/TS 16165	>35	
ADHERENCE (N/mm ²)	>1Nw/mm ² with adhesive type2	
TERMAL SHOCK RESISTANCE	RESISTANT	
DURABILITY: - INDOOR USE - OUTDOOR USE	APPLICABLE APPLICABLE	
TACTILE PROPERTIES	PND	
BREAKING STRENGHT (EN ISO 10545-4)	MINIMUM 700N	

Product performances identified in point 1 are in accordance with performances declared in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer in point 3.

Felipe Peraire Palos. CEO

Vilafamés, 6th of September 2017

AZULEJOS BENADRESA, S.A.